

**A METHOD AND SYSTEM FOR RETURNING A NON-SCALE-BASED PARCEL
WEIGHT**

This is a continuation-in-part of U.S. Patent Application Serial No. 09/473,542
entitled "A Method And System for Returning A Non-Scale-Based Parcel Weight" filed
5 December 28, 1999.

Related Application

Reference is made to Application Serial Number 09/473,587 (Attorney
(now U.S. Patent Number 6,466,948)
Docket No. E-877), entitled A TRAINABLE DATABASE FOR USE IN A METHOD AND
SYSTEM FOR RETURNING A NON-SCALE-BASED WEIGHT, assigned to the
assignee of this application and filed on even date herewith.

Field of the Invention

The present invention relates generally to the field of mail piece and/or parcel
weighing and processing in a network; and, more specifically, to the field of determining
the weight of an item for mailing or shipping through the use of an applied database in
an Internet or intranet data processing environment. The utilization of a trainable
15 database to determine weight is further coupled with the ability of the system to access
carrier rating and related functionality so as to provide convenient desktop shipping
capability.

Background of the Invention

The technology afforded by faster and more memory-laden personal computer (PC) based data processing systems has allowed more and more functionality to get to the desktop. Desktop computing, followed by desktop publishing were among the first applications to reap the benefits of increased desktop capabilities. At present, the advances in the development of memory devices, such as hard disk drives, have allowed greater access to routine-intensive software that allows desktop users to produce work product that was being handled by mid-frame computers in the recent past.

The extensive development and advances that have guided the growth of the personal computer and its related systems has run a parallel course over the past decade with the explosive growth of the Internet. Systems that can utilize the Internet effectively provide their users with greater desktop power by accessing data that was previously unavailable or available only through traditional research vehicles. Thus, personal computing power has grown explosively.

As personal computing power has grown, so to has the variety of business related applications that have come to the desktop. Desktop publishing has allowed quality brochures to be produced in-house rather than at a commercial print shop. The Internet has allowed engineers to interactively participate in projects and research, despite the separation of miles; and, activities such as mail piece production and parcel shipping, have found their way to the desktop as well.

Mail piece production, in the business environment, has traditionally been a product of several departments. Accounting produces a billing that is stuffed into envelopes; the envelopes are weighed as they are fed to a postage meter; and, a postage meter prints postage to the individual envelopes as a function of the weight and postal rate tables. This basic sequence is still the way that businesses produce billings on a month-to-month basis. However, the steps between printing of the mail piece contents, stuffing of the envelopes, weighing, and printing of a postage indicia have become quicker, more streamlined, and more accessible.

Parcel shipping, though following a different sequence of steps than mail piece production, also has benefitted from desktop production efficiencies. Labels can be printed at the desktop, weighing scales are interconnected to PCs for inputting weight to a parcel shipping application, and manifests for recording the details of parcel pickup and delivery are printed at the desktop as well. Peripherals such as scanners and other input devices can also be added for increased data delivery.

Mailing and shipping applications still rely on an important piece of data in determining the cost of shipment; that piece of data is weight. Programs have been developed that print postage to an envelope at the desktop, but these programs still require a weighing device to input that parameter into an algorithm that will determine the proper postage rate to be applied when producing a postage indicia. An exception to a weight-based need is when the postage is set at a constant value and the weight of the mail piece is estimated; this exception is particularly susceptible to human error because of the estimation involved. Parcel shipping, in particular, is tied to the weight parameter in determining a cost for shipping a parcel because of the profusion of

services available from individual carriers and the fact that parcels tend to be of varied weight and size.

Some developed technology has attempted to eliminate the need for utilizing a weighing scale for inputting the weight parameter in determining postage charges. One such method and system has been disclosed in U.S. Patent No. 5,983,209 for a SYSTEM AND METHOD FOR DETERMINATION OF POSTAL ITEM WEIGHT BY CONTEXT issued November 9, 1999 to Salim G. Kara (hereinafter referred to as **Kara**). In **Kara**, parameters are input into the system that are associated with the context in which the mail piece is generated; the parameters can be manually input or can be input by the application which is generating the associated mail piece.

One drawback to **Kara** is the flexibility of the disclosed system. **Kara** is specifically drawn to "postal items" and thus does not address the issues associated with carrier management systems that require more varied input in addition to performing rate shopping among multiple carriers. **Kara**, though providing access to a resident database for determining component weights in calculating postage values does not provide a means of accessing non-resident databases; nor does Kara provide a means for training its resident database so as to provide a greater range of rating variables.

Another example of parameter-based charging for mail piece production is disclosed in U.S. Patent No. 5,873,073 for a METHOD AND SYSTEM FOR MAIL PIECE PRODUCTION UTILIZING A DATA CENTER AND INTER-RELATED COMMUNICATION NETWORKS issued February 16, 1999 to Bresnan et al. (hereinafter referred to as **Bresnan**). **Bresnan** discloses a method for producing

finished mail pieces wherein the characteristics of the mail piece are input at a first node and the individual mail pieces are produced at a second or subsequent nodes. A cost is associated with each parameter that defines production of the mail piece and a total cost for the production is calculated.

5 **Bresnan** provides for building a final cost, akin to the postal value as determined by **Kara**, but does not address the issue of bringing the full parcel shipping application to the desktop; rather, **Bresnan** serves as a means of remote production.

Based on the aforementioned needs in the art, it is an object of the present invention to provide a means of reducing reliance on weighing scales, to the extent of even eliminating their use, for supplying a weight parameter to shipping and parcel manifest applications. It is a further object of the present invention to provide a kiosk capability for shipping that reduces or eliminates the use of a weighing scale for supplying a weight parameter input.

Additionally, it is a further object of the present invention to utilize the quickly expanding capabilities and information resources of the Internet to provide a weight parameter to shipping applications and parcel processing routines. And further, it is an object of the present invention to provide input to a trainable database that will further reduce reliance on input from a weighing scale.

Summary of the Invention

According to the invention, the object is achieved and the disadvantages of the prior art are overcome by a method and system for non-scale-based weight for use as an input in a shipping application.

5 The method provides for weight-based determinations of one or more articles to be shipped and comprises a number of steps. These steps begin with the initiation of a rate determining routine in a shipping system application resident in a processor-based data processing system located at a first at a first node. The initiation of the routine can be via Internet or modem. After initiation, a description of each one of the one or more
10 articles is entered into a first data field of the rate determining routine. A query is then transmitted from the routine to a database located at a second node for a weight associated with each of the one or more articles; and, thus the initiating site can be remote to the database or co-located with it.

15 The database is for storing a set of one or more weights wherein each of the one or more weights is associated with a particular article. The database itself further comprises a set of Universal Product Code (UPC) data which comprises a Universal Product Code (UPC) database which associates a known article with a set of one or more of the article's characteristics and entry fields for supplementing the data to the UPC database. Additionally, the database contains a set of data comprising a recorded
20 weight associated with a set of one or more articles wherein the recorded weight is entered by a system operator.

Once the weight has been obtained, the weight is returned to the routine for use in calculating a rate for shipping one or more articles to a particular destination. The returned weight is entered into a second data field of the shipping system application as an input parameter; and, the rate for shipping each of the one or more articles to its particular destination is determined as based upon the input parameters. The input parameters may include a destination for the article, a class of service, or a delivery date.

Supplementation of the entry fields of the database comprises the steps of comparing data entered into the first data field with data resident in the database; determining whether or not the comparison further determines that the weight is available; and, if the weight is available, then returning the weight to the routine; or if the weight is not available, then querying the routine to determine whether or not a new weight is to be entered into the database by entry through the routine.

The new weight can be determined by one of several alternative entry means wherein the new weight is recorded in the entry fields of the database. The alternative entry can be made via a keyboard entry where the new weight is entered by a system operator; or, can be made via a data capture device such as a scanner or a weighing scale. Additionally, the new weight can be determined by calculating the new weight based upon a set of criteria to be applied to the database and to the first data field, and wherein the new weight is recorded in the entry fields of the database.

The system of the present disclosure comprises a number of elements; these include a data processing system located at a first node. The data processing system further includes a shipping system application having rate determining means for

determining a carrier rate to be charged for the shipping of an article via a carrier. The rate determining means includes a rate determining routine having a rates database and access means for accessing a rate determining function of a particular carrier. The rate determining function is accessible via an Internet entry or simply by calling the
5 function from within the system.

The system additionally includes: data entry means for entering a description of the article to be shipped into a first data field of the shipping system application; transmission means for transmitting a query, for a weight associated with the article, from the shipping system application to a database located at a second node and then
10 returning the weight to the application for use by the rate determining means; and, data entry means for entering the weight into a second data field of the shipping system application as an input parameter. The set of input parameters may include a destination for the article, a class of service, or a delivery date. The system further includes calculating means within the rate determining means for calculating the rate for
15 shipping the article to a particular destination as based upon the set of one or more input parameters.

Brief Description of the Drawings

FIG. 1 is a diagram of the system of the present invention showing the flow between each of the high-level components of the system.

FIG. 1B is a diagram of a multi-node system wherein each node queries and receives input from a central data center and in turn each node transmits its manifest or postal data to a carrier for acceptance.

FIG. 1C is a block diagram of data processing node which is co-located with the database and wherein the data processing node interfaces with a carrier server in performing rating routines prior to seeking carrier acceptance.

FIG. 1D is a diagram of a data processing node within the present invention which is part of a carrier processing and acceptance network.

FIG. 2A is a flowchart of the method of the present invention.

FIG. 2B is a continuation of the flowchart of **FIG. 2A** which lists the steps for returning a weight from the weights database.

FIG. 3 is a drawing of a view screen that will be displayed in the personal computer in user's subsystem **10**, user station **170**, entry nodes **102, 104, 106, 108**, and **100**;

FIG. 4 is a flow chart of the process for determining the cost of the other materials used to complete the container; and

FIG. 5 is a flow chart showing how the post or carrier detects weight/rating/errors that are identified during normal article/mail piece acceptance processing.

Detailed Description of the Preferred Embodiments

Beginning with **FIG. 1A**, there is shown a diagram of the system of the present invention showing the flow between each of the high-level components of the system. A

system user, who has a parcel or an article to be shipped via a carrier, accesses the overall system through subsystem **10**.

Subsystem **10** is shown as a node which includes a personal computer and printer for processing data and running certain software applications, a monitor for providing a human interface with the personal computer so as to view screens established by the application, and a keyboard for data entry. A modem link is implied that will allow access to interface **12**. Additional peripherals that are anticipated include a scanner for scanning barcodes and similar data.

Interface **12** links subsystem **10** with the Internet through an Internet link **14**. Interface **12** is of a conventional type that includes a web browser and a modem. The Internet link **14** is of a type commercially available through such companies as America-On-Line and is linked to a trainable database **54** through interface **16** which includes a communication link such as a modem.

Database **54** is optionally linked to a weight and rate server **52** to form subsystem **50**. Database **54** comprises all universal process codes (UPS) database **54A**; item weight, volume and density databases **54B**; and all carrier rates database **54C**. Subsystem **50** is a remote server which can determine a rate for shipping a parcel in accordance with parameters established in the shipping application hosted by subsystem **10** and a weight returned from database **54**. Database **54** can be updated by data entry from subsystem **10** or from periodic and/or random updates transmitted by postal or carrier server **28** and corrected or refined by database correction factors **32**.

There are a number of commercially available databases that can serve as input to the trainable database **54**, thus reducing training time and expense. Those

databases representing portions of the Universal Product Code (UPC) and the European Article Numbering (EAN) systems are the most advantageous because they contain product descriptions and characteristics but not the weight of the item. Currently, portions of these systems are commercially available, while a complete
5 compilation is not available.

The UPC was the first bar code symbology widely adopted and began its commercial life on April 3, 1973, when the grocery industry adopted the UPC as its standard for product marking. Versions of the UPC outside North America began with the adoption of the EAN in December 1976.

10 The requirements for the UPC symbols are outlined by the American National Standards Institute (ANSI) and are maintained in the United States by ANSI and in Canada by the Electronic Commerce Council of Canada (ECCC). The UPC symbol database, as well as its equivalents outside North America, (i.e., the European Article Numbering system utilizing thirteen (13) digit EAN numbers, the Japanese Article
15 Numbering system utilizing thirteen (13) digit JAN numbers, etc.), are prominent throughout retailing and, in particular, within the grocery industry. The European Article Numbering System (EAN), the Japanese Article Numbering System (JAN), and the International Article Numbering System (IAN) are identical to the UPC except for the number of digits utilized. Currently, the UPC product base contains in excess of
20 100,000 separate products that are categorized by manufacturer, product type, and shipping container (both standard and unique).

There are two major classifications of UPC code and three minor ones; the two major classifications are the UPC type A code which consists of twelve (12) digits and

the UPC type E code which consists of eight (8) digits and is used for those applications where space is limited or restricted. UPC type A symbols have ten (10) digits plus two (2) overhead digits; its EAN counterpart has twelve (12) digits and one (1) overhead digit. The EAN utilizes the first two characters to designate the country of origin of a product. It should be noted that barcode scanning devices equipped to read EAN symbology can read UPC symbols as well; the reverse is not necessarily true however.

The first overhead digit of a UPC type A symbol is a number related to the type of product being described as follows:

- 0 = normal UPC code
- 1 = reserved
- 2 = products sold by weight
- 3 = health related products
- 4 = UPC code used without limits
- 5 = coupons
- 6 = normal UPC code
- 7 = normal UPC code
- 8 = reserved
- 9 = reserved

In June of 1997, the Uniform Code Council announced that the UPC will be phased out by the year 2005 because the twelve (12) digit UPC will run out of numbers. At that time, the United States will adopt the thirteen (13) digit EAN.

It is not necessary that the UPC and EAN specifications be listed or detailed herein for a proper understanding of the present invention.

Returning to **FIG. 1A**, subsystem **10** is shown as also linked to the postal or carrier stream through letter or parcel presorted metered permit, stamp, or PC-based meters/stamp payment and mailer finishing process **22** which include the physical mailing of a letter or the shipping of a parcel. The entry of a letter or a parcel into the postal or carrier stream allows the carrier to apply an acceptance and delivery process **24** which produces samples of weight data **26** which are input to carrier server **28**. In turn, the carrier server **28** applies the weight database correction factors using the collected weight data so that corrections can be input to the trainable database **54** through interface **34**, Internet link **36** and interface **38**.

A second embodiment of the present invention is detailed in **FIG. 1B**, which is a diagram of a multi-node system wherein each node queries and receives input from a centralized data center **100**; and, in turn, each node transmits its manifest or postal data to a carrier for acceptance.

Data center **100** is shown as the focal point of a network that includes one or more entry nodes **102**, **104**, **106**, **108**, and **110**. These nodes are depicted by way of illustration only as it is within the contemplation of this invention that there be one or more entry points into a system that includes data center **100**.

Each of the entry nodes **102**, **104**, **106**, **108**, and **110** are interoperatively connected to data center **100** by communication links, as well as to the carrier acceptance application **120** which can be remote to the data center **100** or co-located with it. Additionally, a carrier server **130** is provided which administers the database routines for the data center **100** and the carrier acceptance criteria **120**. Carrier acceptance criteria **120** allows the carrier to apply an acceptance and delivery process

which produces samples of weight data which are input to carrier server **130**. In turn, the carrier server **130** applies database correction factors to the collected weight data so that the weight can be input to the trainable database within data center **100**. Carrier server **130** can be co-located with either carrier acceptance criteria **120** or data center **100** or both.

A third embodiment of the present invention is shown in **FIG. 1C**. **FIG. 1C** is a block diagram of a data processing node which is co-located with the database and wherein the data processing node interfaces with a carrier server is performing rating routines prior to seeking carrier acceptance.

A system user is shown co-located with a data center as element **150**. Element **150** may take on one of three embodiments. The first embodiment is a desktop configuration utilizing a PC with at least an operating system, a shipping or carrier management software application, communication links, and a database with related access means for accessing weight data. The second embodiment contemplated is a kiosk wherein the configuration contains the same elements as with the desktop configuration but are housed in a kiosk to provide a retail function wherein the packages are rated and deposited for entry into the carrier traffic stream. The kiosk would be provided with a billing or cash acceptance system so that the cost of shipping could be accounted for at the kiosk. Additionally, a receipt establishing and printing means would give the system user a record of the transaction. The third embodiment is an over-the-counter configuration wherein each of the elements present in the desktop or kiosk configurations are present as well, but the elements are accessed from a counter-top in a retail store environment.

System user and data center **150** is connected to carrier server **152** which provides a rating and services database to the system user via communication links which may be telephone based, Internet based, or line based. Carrier acceptance routine **154** is configured to receive data from the system user, and apply an acceptance routine to determine if the electronic manifest or shipping data received from the system user and data center is acceptable as determined by the carrier's acceptance criteria. The carrier acceptance routine, which may be remote to the carrier server or co-located with it, then transmits the data to the carrier server for tracking or recording which allows the carrier to accept the parcel to be shipped to the addressee **156**.

A fourth embodiment of the present invention is shown in **FIG. 1D**. **FIG. 1D** is a diagram of a data processing node within the present invention which is part of a carrier processing and acceptance network.

User station **170** serves as a first node for the system and transmits a request for a weight and a corresponding rate to weights database **172**. Rates database **172** determines an appropriate weight based upon input at user station **170** and then queries rating database **174** for a rate corresponding to the weight and any services requested by the user station **170**. The rate is transmitted by rating database **174** back to the user station **170** through weights database **172**, though it is contemplated that the transmission of the appropriate rate could be transmitted by the rating database **174** directly to the user station **170**.

User station **170** submits the parcel to be shipped, together with its corresponding rate charge, to the carrier acceptance procedure **178**. The carrier

acceptance procedure transmits details of the transaction to the carrier server **176** for subsequent parcel tracking, possible billing, and/or statistical analysis. The parcel, upon clearing the carrier acceptance procedure, is then placed into the carriage stream **180** where it is shipped to the addressee.

5 Turning to **FIG. 2A**, there is shown the method of the preferred embodiment of the present invention. The method begins at step **199** when a user enters data into screen **300 (FIG. 5)**. Then, in step **200**, the initiation of a shipping or carrier management application begins (hereinafter referred to as a shipping application) in a data processing system. The application can be configured to access carrier data representative of one carrier, or in the alternative, can be configured to select from among two or more carriers as based upon selection criteria selected by a system user. For example, such criteria can include: cost; desired date of delivery; available services; or, shipping mode.

10
15
20 From step **200**, the method advances to step **204** which asks if a weight has been entered for the article. If the response to the query is "YES," then the method advances to step **214** where the article data is applied directly to a rating routine for determining the rate to be charged for shipping the article via the selected carrier. The method advances from step **214** to step **216** where the total rate is returned for the container. If, however, the response to step **204** is "NO," then the method advances to step **201** to read the next data field from data fields **305, 307 and 309**. Then the program goes to step **206**.

The query at step **206** asks if a UPC bar code is available for the parcel to be shipped. If the response to the query is "YES," then the method advances to step **212**

where the UPC value is compared to the UPC database to obtain an article postal or carrier weight, and the item volume and density, if found. Now the program goes to step 205 to buffer the current article weight with the other weight parameters and the current total weight. Then the program goes to decision block 203 to check if the total weight has been determined. If step 203 has not determined the total weight, the program goes to step 201 to read the next data field. If step 203 determines the total weight, the program goes to step 213 to determine if other parameters, i.e., density and volume, are present in the record. If step 213 determines no new parameters are present, the program goes to step 214. If step 213 determines that new parameters are present, the program goes to step 350 (**FIG. 4**). Once the weight is obtained, the method advances directly to step 214. However, if the response to the query at step 206 is "NO," then the method advances to the query at step 208.

At step 208, the method queries at to whether the article can be identified by a description of the article. If the response to the query is "YES," then the method advances to step 210 where the characteristics are input to the system, and the corresponding UPC data and the container weight are determined. From step 210, the method flow advances to step 205. If the response to the query at step 208 is "NO," then the method advances along path A1 to step 230 as is shown in **FIG. 2B**.

Returning to step 214, the method applies the article data, including the weight obtained at step 252, to a rating engine to determine the rate to be charged for shipping the parcel via the selected carrier. The rate is returned at step 216 and applied to the article at step 218 by indicating the rate on a corresponding carrier manifest, producing a label (which generally lists the addressee as well) corresponding to the rate, or both.

In step **219**, the rate is applied for this container. The container is then prepared for shipping at step **220** and the routine for the parcel is concluded at step **222**.

Turning to **FIG. 2B**, there is shown the steps for returning a weight from the weights database. The flow begins with an input at step **230** from path **A1** coming from step **208** as is shown in **FIG. 2A**.

Step **230** is a query which asks if a manufacturer's name is present in the input data. If the response to the query is "YES," then the method advances to step **232** where a search of the database by manufacturer name is conducted. The method then advances to step **234** which queries as to whether or not the manufacturer's name is available. If the response to the query at step **234** is "NO," then the method advances to re-enter the flow at step **240**. If however, the response to the query at step **234** is "YES," then the method advances to the query at step **236** which asks if the manufacturer product number is available.

Returning to step **230**, if the response to the query is "NO," then the method advances to the query at step **240**. At step **240**, the system queries as to whether or not a product description is available. If the response to the query is "NO," then the method advances to step **245**. Step **245** requests that the user enter data the describes the product. Then the program advances to the query at step **246**. If, however, the response to the query at step **240** is "YES," then the program goes to step **242** to compare elements of the product description with elements in UPC database fields. Now the program advances to the query at step **244**.

Returning to step **236**, if the response to the query as to whether or not the product number is available is "NO," then the method advances to step **242** where the

elements of the product are compared with elements in the UPC database fields before advancing to the query at step **244**. If the response to the query at step **236** is "YES," then the system conducts a search of the database by the manufacturer's product number before advancing to the query at step **244**.

5 At step **244**, the system queries as to whether or not a match has been determined for the comparisons made of the manufacturer's name, product number, or description. If the response to the query is "NO," then the program advances to step **245** where the user is requested to enter the data. Then the program goes to step **246**. However, if the response to the query at step **244** is "YES," then the method advances directly to step **252** and returns a weight to the cost/rating routine for use at step **214**.

10 Turning to step **246**, the method queries as to whether or not the system user can enter (e.g., via keyboard entry or scanner entry) the weight directly to the routine. If the response to the query is "YES," then the data is entered into the entry fields of the routine at step **250**; otherwise, if the response to the query is "NO," then the program goes to step **247**. Step **247** sends to the user's display the following message: "Weight is not available. Take finished package to post/carrier for cost/rating." Then this routine goes to step **249** and then to step **222** to end. From step **250**, the method advances to step **252** where the weight is returned to the application in step **216** (**FIG. 2A**) for use in determining the cost/rate.

15
20 **FIG. 3** is a drawing of a drawing of a view screen that will be displayed in the personal computer in user subsystem **10**, user station **170**, entry nodes **102**, **104**, **106**, **108**, and **110**. The data entry screen **300** is made up of seven subscreens indicated as **301**, **303**, **305**, **307**, **309**, **311**, and **313**. Each subscreen in turn contains

one or more required data elements that the user must enter to define the article/mail piece for cost/rating, or to provide the needed data to allow computation of the container and its contents weight.

The first sub data entry screen **301** is in turn subdivided into four user data entry fields. They are identified as **A**, **B**, **C**, and **D** in **301**. Each field allows the user to identify the chosen carrier (**A**), the level of delivery service requested (**B**), any other requested services (**C**), and finally the destination information (**D**) that enables delivery.

The next data entry subscreen **303** provides a field (**E**) where the user could enter the actual final accurate shipping weight when it is already known to them. These circumstances are likely found in a manufacturer parcel-shipping site where standard boxes, packing and contents are combined in known arrangements.

The next three subscreens (**305**, **307** and **309**) provide the numeric and text information that enables the present invention to operate. Subscreen **305** contains data entry lines labeled F1, F2 and more. Each line has fields for both the UPC code assigned to the contents item, as printed on its label, or found in its description. The "F" lines are filled in with either the UPC or a description until all the items are accounted for. The next subscreen **307** deals with the mail piece container. At least one "G" line must be selected, and either the UPC number entered or the description. The next subscreen **309** deals with the packing and tape used to form the mail piece/container. At least one "H" line must be selected, and both the UPC number entered and a description of what was consumed.

Subscreens **311** and **313** are not for data entry. These subscreens inform the user about the status of the "mail-ability" in ("I") of the mail piece, and the current cost in (J).

FIG. 4 is a flow chart of the process for determining the cost of the other materials used to complete the container. The program begins in step **350** when step **213** (FIG. 2A) detects other parameters.

Step **350** reads the input records from subscreens **310-309** (FIG. 3). Then the program goes to decision step **352**. Step **352** determines whether or not other parameter data entries are present in the data record. If other parameters are not present, the program goes to step **214** (FIG. 2A). If other parameters are present in step **352**, the program goes to step **354** to read or compute values for the current postal weight; container volume; sum of the contents items and packing material density. In step **356**, the program subtracts all contents volumes found from the container volume. Then, in step **358** the program multiplies the computed volume difference by the given packing material density. In step **360**, the program adds the computed postal weight for the packing used to the current postal weight. In step **362**, the file is returned to step **214** (FIG. 2A)

FIG. 5 is a flow chart showing how the post or carrier detects weight/rating/cost/errors that are identified during normal article/mail piece acceptance processing. Prior to initiation of the corrective process, described in **FIG. 5**, a temporary article weight error file **371** is produced by a sortation process **370**. Sortation process **370** out sorts all verified mail piece records that exceed post/carrier established

acceptance value for a user-produced weighing error. The user-produced weighing error is usually 3-5% of the total weight.

The corrective processing starts at step **373** when the first record stored in step **371** is read in. Next, at step **375**, the mail piece unique number that the system issued during the user cost/rating process, is read in from subscreen **301** data field (**FIG. 3**) and is retrieved from the archived user record 300.

Next the process moves to step **377** to establish if a user established "postal weight" was used. If this is the case (yes), the process moves to step **379** where it computes the value of the error, and then notifies the user and bills the user's account.

Next, at step **380**, the process checks to see if there are any more records to process in step **371**. If there are none to process, it moves to step **381** to clear the processed records in step **371** and then ends.

If there are additional files to process in step **371**, the process gets the next record at step **392** and moves back to step **373**. Returning to step **377**, if a user supplied postal weight was not entered by the user, the process moves to step **383** where it verifies that the weights entered by the user interactive process matches the current UPC-based weights. If a mismatch is found, the process moves to step **379** where it follows the flow already discussed. If all the component weights are found to match those currently in the UPC database **54b** (**FIG. 1A**), the process moves to step **385** to locate other mail pieces that contain the same item.

The process next moves to query the item manufacture's database over the Internet to verify the weight. It then moves to step **389** to produce a correction if needed. Then the process goes to step **390** to add the correction to a Weight

Corrections database update file 391. Then the process moves to step **380**. Then the system database **32 (FIG. 1A)** is updated from time to time as needed using step **391**.

In the foregoing specification, the invention has been described with reference to specific embodiments thereof. However, it will be evident that various modifications and
5 changes may be made thereto without departing from the broader spirit and scope of the invention. The specification and drawings, accordingly, are to be regarded in an illustrative rather than a restrictive sense.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
21